WEST

Generate Collection

L10: Entry 3 of 4

File: DWPI

Oct 5, 1978

DERWENT-ACC-NO: 1979-59379B

DERWENT-WEEK: 197932

COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: <u>Cardiolipin</u> antigen for <u>syphilis</u> diagnosis - contg. <u>cardiolipin</u>, <u>lecithin</u>, cholesterol, butyl-oxy-toluene and absolute ethanol for accuracy

INVENTOR: GOLBETS, I I; SENNIKOV, G A; SHVETS, V I

PATENT-ASSIGNEE: BACTERIAL PREPN WKS (BACTR), MOSC FINE CHEM MECH (MOFJ)

PRIORITY-DATA: 1977SU-2502377 (June 30, 1977)

PATENT-FAMILY:

PUB-NO

PUB-DATE

LANGUAGE

PAGES

MAIN-IPC

SU 629927 A

October 5, 1978

000

INT-CL (IPC): A61K 39/00

ABSTRACTED-PUB-NO: SU 629927A

BASIC-ABSTRACT:

<u>Cardiolipin</u> antigen for diagnosis of <u>syphilis</u> comprises (in wt.%): <u>cardiolipin</u> $\overline{(15-17)\times10-3}$; <u>lecithin</u> $(58-62)\times10-3$; <u>cholesterol</u> $(2.9-3-1)\times10-1$ butyloxy-toluene $(19.5-20.5)\times10-3$ and absolute ethanol the rest.

The addn. of butyloxy-toluene improves the accuracy of diagnosis.

ABSTRACTED-PUB-NO: SU 629927A

EQUIVALENT-ABSTRACTS:

DERWENT-CLASS: B05

CPI-CODES: B01-D02; B04-B01B; B04-B04C; B05-B01P; B07-D04; B10-H01; B11-C07A; B12-K04;

Generate Collection

L10: Entry 3 of 4

File: DWPI

Oct 5, 1978

DERWENT-ACC-NO: 1979-59379B

DERWENT-WEEK: 197932

COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: <u>Cardiolipin</u> antigen for <u>syphilis</u> diagnosis - contg. <u>cardiolipin</u>, <u>lecithin</u>, cholesterol, butyl-oxy-toluene and absolute ethanol for accuracy

INVENTOR: GOLBETS, I I; SENNIKOV, G A; SHVETS, V I

PRIORITY-DATA: 1977SU-2502377 (June 30, 1977)

PATENT-FAMILY:

PUB-NO

PUB-DATE

LANGUAGE

PAGES

MAIN-IPC

SU 629927 A

October 5, 1978

000

INT-CL (IPC): A61K 39/00

ABSTRACTED-PUB-NO: SU 629927A

BASIC-ABSTRACT:

<u>Cardiolipin</u> antigen for diagnosis of <u>syphilis</u> comprises (in wt.%): <u>cardiolipin</u> $(15-17)\times10-3$; <u>lecithin</u> $(58-62)\times10-3$; <u>cholesterol</u> $(2.9-3-1)\times10-1$ butyloxy-toluene $(19.5-20.5)\times10-3$ and absolute ethanol the rest.

The addn. of butyloxy-toluene improves the accuracy of diagnosis.

ABSTRACTED-PUB-NO: SU 629927A

EQUIVALENT-ABSTRACTS:

Generate Collection

L10: Entry 3 of 4

File: DWPI

Oct 5, 1978

DERWENT-ACC-NO: 1979-59379B

DERWENT-WEEK: 197932

COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: Cardiolipin antigen for syphilis diagnosis - contg. cardiolipin, lecithin, cholesterol, butyl-oxy-toluene and absolute ethanol for accuracy

Basic Abstract Text (1):
Cardiolipin antigen for diagnosis of syphilis comprises (in wt.%): cardiolipin (15-17)x10-3; lecithin (58-62)x10-3; cholesterol (2.9-3-1)x10-1 butyloxy-toluene $(19.5-20.5) \times 10-3$ and absolute ethanol the rest.

Standard Title Terms (1):

CARDIOLIPIN ANTIGEN SYPHILIS DIAGNOSE CONTAIN CARDIOLIPIN LECITHIN CHOLESTEROL BUTYL OXY TOLUENE ABSOLUTE ETHANOL ACCURACY